

## **Section 1: IDENTIFICATION**

#### 1.1 PRODUCT IDENTIFIER

Product Name: Aqua Mix® Ex-Treme

Product Code: Not Available

1.2 RECOMMENDED USE OF CHEMICAL AND RESTRICTIONS ON USE

Product Use: Cleaner

1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEETS

Name/Address: Custom Building Products

3490 Piedmont Road, Suite 1300

Atlanta, GA 30329

**Telephone Number:** (562)-598-8808

1.4 EMERGENCY TELEPHONE NUMBER

**Emergency Telephone** INFOTRAC 1-800-535-5053 (US and Canada)

Number: INTERNATIONAL + 1-352-323-3500

## Section 2: HAZARD(S) IDENTIFICATION

## 2.1 CLASSIFICATION OF THE CHEMICAL IN ACCORDANCE WITH PARAGRAPH (d) OF 29 CFR

## 1910.1200 (OSHA HAZCOM2012)

Skin corrosionCategory 1BSerious eye damageCategory 1STOT – SECategory 3Metal corrosionCategory 1

## 2.2 LABEL ELEMENTS ACCORDING TO OSHA HAZCOM2012

## 2.2a SIGNAL WORD:

DANGER!

#### 2.2b HAZARD STATEMENTS

Causes severe skin burns Causes serious eye damage May cause respiratory irritation May be corrosive to metals



## 2.2c HAZARD PICTOGRAMS



## 2.2d PRECAUTIONARY STATEMENTS

i.	PREVENTION	Wash hands thoroughly after handling. Do not breathe dust/fume/gas/mist/ vapors/spray. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid release to the environment. Wear impervious gloves/protective clothing/eye protection/face protection. Keep only in original container
ii.	RESPONSE	If on skin: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If inhaled: Remove person to fresh air and keep comfortable for breathing. If swallowed: immediately call a poison center/doctor and rinse mouth. If exposed or concerned: get medical advice/attention. Absorb spillage to prevent material damage
iii.	STORAGE	Store in corrosive resistant container with a resistant inner liner. Store in a well-ventilated place. Keep container tightly closed.
iv.	DISPOSAL	Dispose of contents/containers in accordance with all local, state, provincial, and federal regulations.

## 2.3 ADDITIONAL INFORMATION

- 2.3a HNOC HAZARDS NOT OTHERWISE CLASSIFIED Not applicable
- 2.3b UNKNOWN ACUTE TOXICITY Not applicable
- **2.3c** WHMIS CLASSIFICATION Class E Corrosive Material
- 2.3d LABEL ELEMENTS ACCORDING TO WHMIS



#### i. WHMIS HAZARD SYMBOLS



## Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

## 3.1 MIXTURES

Chemical Name	CAS Number	Weight %
Glycol Ether PNB	5131-66-8	1 – 5%**
Oxalic Acid	6153-56-6	5 – 10%**
Glycolic Acid	79-14-1	5 – 10%**

<sup>\*\*</sup> The composition of the product has been expressed as a range due to batch-to-batch variability

## **Section 4: FIRST-AID MEASURES**

## 4.1 DESCRIPTION OF THE FIRST-AID MEASURES

ROUTES OF EXPOSURE	DESCRIPTION
Eye Contact:	In case of contact, immediately flush eyes with plenty of water for several minutes. If easy to do, remove contact lenses, if worn. Get medical attention immediately.
Skin Contact:	In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Call a physician if irritation develops and persists.
Inhalation:	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.
Ingestion:	If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical advice/attention.

## 4.2 MOST IMPORTANT SYMPTOMS/EFFECTS, ACUTE AND DELAYED

ROUTES OF EXPOSURE	DESCRIPTION
Eye Contact:	Causes serious eye damage. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and

swelling of the conjunctiva.

**Skin Contact:** Causes severe skin burn. Handling can cause dry skin, discomfort;

can also produce inflammation and blistering.

**Inhalation:** May cause respiratory tract irritation.

Ingestion: May be harmful if swallowed. Ingestion may cause discomfort

and/or distress, nausea or vomiting.

#### 4.3 INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

Not applicable

## **Section 5: FIRE-FIGHTING MEASURES**

#### **5.1 FLAMMABILITY**

Flammability: Not Flammable by WHMIS/OSHA HAZCOM2012 Criteria

#### 5.2 EXTINGUISHING MEDIA

#### 5.2a. Suitable Extinguishing Media:

Treat for surrounding material.

## 5.2b. Unsuitable Extinguishing Media:

Not available.

## 5.3 SPECIFIC HAZARDS ARISING FROM THE CHEMICAL

## 5.3a. Products of Combustion:

May include, and are not limited to: formation of ammonia and oxides of sulfur and nitrogen

## 5.3b. Explosion Data

i. Sensitivity to Mechanical Impact:

Not available.

ii. Sensitivity to Static Discharge:

Not available.

#### Section 6: ACCIDENTAL RELEASE MEASURES

## 6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT, AND EMERGENCY PROCEDURES

Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.



#### 6.2 METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP

Methods for Containment: Use appropriate Personal Protective Equipment (PPE). Put the

spilled solid crystal in a convenient waste disposal container. Do

not flush to sewer or allow to enter waterways.

Methods for Cleaning-Up: Vacuum or sweep material and place in a disposal container.

Dispose of unwanted material properly in accordance with all local,

regional, national and international regulations.

## Section 7: HANDLING AND STORAGE

#### 7.1 PRECAUTIONS FOR SAFE HANDLING

Handling: Use in well-ventilated areas. Wear impervious gloves, such as

nitrile and eye protection. Do not mix with other chemical products, except as indicated by the manufacturers. Do not get in eyes. Do not get on skin or clothing. Do not breathe fumes. Do not take

internally.

General Hygiene Advice: Use good industrial hygiene practices and wear recommended

personal protection. Launder contaminated clothing before reuse.

Wash hands before eating, drinking, or smoking.

## 7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

**Keep out of the reach of children**. Keep container tightly closed. Store at room temperature and keep containers closed when not in use. Avoid any dust buildup by frequent cleaning and suitable construction of the storage area. Keep dry until use.

**Warning:** Material is corrosive to metals.

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1 CONTROL PARAMETER Exposure Guidelines

Occupational Exposure LimitsChemical NameOSHA-PELACGIH-TLVGlycol Ether PNB150 ppm100 ppmOxalic AcidNot AvailableNot AvailableGlycolic AcidNot AvailableNot Available



#### **8.2 EXPOSURE CONTROLS**

Engineering Controls: Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.

#### 8.3 INDIVIDUAL PROTECTION MEASURES

#### 8.3a. Personal Protective Equipment:

**i. Eye/Face Protection**: Wear approved eye protection [properly fitted dust- or splash-proof chemical safety goggles/face (face shield)]

## ii. Skin Protection:

1. Hand Protection: Wear impervious gloves, such as nitrile.

2. Body Protection: Wear suitable protective clothing

- iii. Respiratory Protection: A NIOSH approved dust mask or filtering face piece is recommended in poorly ventilated areas or when permissible exposure limits may be exceeded. Respirators should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134) and ANSI's standard for respiratory protection (Z88.2).
- iv. General Health and Safety Measures: Handle according to established industrial hygiene and safety practices.

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance (physical state, color, etc.):	Tan liquid
Odor:	Indeterminate
Odor Threshold:	Not available
pH:	1 – 2
Melting point/Freezing point:	Not available
Initial boiling point and boiling range:	225 deg F. (105 deg C.)
Flash point:	Not available
Evaporation rate (Water=1):	Not available
Flammability:	Not flammable
Upper Flammability/Explosive Limit:	Not available
Lower Flammability/Explosive Limit:	Not available
Vapor Pressure	Not available
Vapor Density:	Not available
Relative Density:	Not available
Solubility in Water:	Not available
Partition coefficient: n-octanol/water:	Not available

#### Conforms to OSHA HazCom 2012 Standard and WHMIS

## SAFETY DATA SHEET

Auto-ignition temperature:	Not available
Decomposition Temperature:	Not available
Viscosity (cps):	Not available
VOC Content:	1% or <1 g/L

## **Section 10: STABILITY AND REACTIVITY**

#### 10.1. REACTIVITY

No dangerous reaction known under conditions of normal use.

## 10.2. CHEMICAL STABILITY

Stable under normal storage conditions. Keep dry in storage.

## 10.3. POSSIBILITY OF HAZARDOUS REACTION

No dangerous reaction known under conditions of normal use.

## 10.4. CONDITIONS TO AVOID

Heat. Incompatible materials.

## 10.5. INCOMPATIBLE MATERIALS

Corrosive to metals. Strong oxidizing agents, strong bases

## 10.6. HAZARDOUS DECOMPOSITION PRODUCTS

May include, and are not limited to: formation of ammonia and oxides of sulfur and nitrogen

## Section 11: TOXICOLOGICAL INFORMATION

#### 11.1. LIKELY ROUTES OF EXPOSURE:

Skin contact, skin absorption, eye contact, inhalation, and ingestion.

#### 11.2. SYMPTOMS RELATED TO PHYSICAL/CHEMICAL/TOXICOLOGICAL CHARACTERISTICS:

**Eye Contact:** Causes serious eye damage. Symptoms may include discomfort or

pain, excess blinking and tear production, with marked redness and

swelling of the conjunctiva.

**Skin Contact:** Causes severe skin burns. Handling can cause dry skin,

discomfort, irritation, and dermatitis.

**Inhalation:** May cause respiratory tract irritation.



**Ingestion:** May be harmful if swallowed. Ingestion may cause discomfort

and/or distress, nausea or vomiting.

Acute Toxicity		
Chemical Name	LC50	LD50
Glycol Ether PNB	Not available	Not available
Oxalic Acid	Not available	Not available
Glycolic Acid	Not available	Not available

Carcinogenicity		
Chemical Name	Chemical Listed as Carcinogens or Potential Carcinogen (NTP,IARC,OSHA,ACGIH,CP65)	
Glycol Ether PNB	Not listed	
Oxalic Acid	Not listed	
Glycolic Acid	Not listed	

## 11.3. DELAYED, IMMEDIATE, AND CHRONIC EFFECTS OF SHORT AND LONG-TERM EXPOSURE

SHORT-TERM		
Skin Corrosion/Irritation:	Causes severe skin burns	
Serious Eye Damage/Irritation:	Causes serious eye damage	
Respiratory Sensitization:	Not available	
Skin Sensitization:	Not available	
STOT-Single Exposure:	May cause respiratory irritation	
Aspiration Hazard:	Not available	
LONG-TERM		
Carcinogenicity:	Not available	
Germ Cell Mutagenicity:	Not available	
Reproductive Toxicity:	Not available	
STOT-Repeated Exposure:	Not available	
Synergistic/Antagonistic Effects:	Not available	

## **Section 12: ECOLOGICAL INFORMATION**

## 12.1. ECOTOXICITY

May cause long-term adverse effects to the aquatic environment. Keep from entry into sewers and waterways.

Ecotoxicity		
Chemical Name	EC50/NOEC-48 Hours	LC50/NOEC-96 Hours

Disodium I rioxosilicate Not available Not available
--

## 12.2. PERSISTENCE AND DEGRADABILITY

Not available

## 12.3. BIOACCUMULATIVE POTENTIAL

Not available

## 12.4. MOBILITY IN SOIL

Not available

## 12.5. OTHER ADVERSE EFFECTS

Not available

## **Section 13: DISPOSAL CONSIDERATIONS**

#### 13.1. DISPOSAL METHOD

Dispose of contents/containers in accordance with all local, state, provincial, and federal regulations

## 13.2. OTHER DISPOSAL CONSIDERATIONS

Not available

## **Section 14: TRANSPORT INFORMATION**

DOT (U.S.)	TDG (CANADA)
UN NUMBER:	UN NUMBER:
UN3265	UN3265
UN PROPER SHIPPING NAME:	UN PROPER SHIPPING NAME:
Corrosive Liquid, Acidic, Organic	Corrosive Liquid, Acidic, Organic
TRANSPORT HAZARD CLASS (ES):	TRANSPORT HAZARD CLASS (ES):
Class 8	Class 8
PACKING GROUP (if applicable):	PACKING GROUP (if applicable):
III	III

**SUMMARY: Product is regulated under DOT/TDG transportation regulations.** 

## 14.1. ENVIRONMENTAL HAZARDS

Not available



# 14.2. TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND THE IBC CODE Not available

## 14.3. SPECIAL PRECAUTIONS FOR USER

Do not handle until all safety precautions have been read and understood.

## Section 15: REGULATORY INFORMATION

# 15.1. SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATIONS SPECIFIC FOR THE CHEMICAL

**Canada:** This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

**US:** SDS prepared pursuant to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

#### 15.2. US FEDERAL INFORMATION:

	SARA TITLE III			
CHEMICAL NAME	SECTION 302	SECTION 304	CERCLA RQ	SECTION 313
	(EHS) TPQ (LBS)	EHS RQ (LBS)	(LBS)	(TRI)
Glycol Ether PNB	Not Listed	Not Listed	Not Listed	Not Listed
Oxalic Acid	Not Listed	Not Listed	Not Listed	Not Listed
Glycolic Acid	Not Listed	Not Listed	Not Listed	Not Listed

#### 15.3. US STATE RIGHT TO KNOW LAWS:

California Proposition 65:	WARNING! This product does NOT contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm
Other U.S. States "Right to Know" Lists:	
New Jersey:	Glycol Ether PNB CAS-No 5131-66-8 Oxalic Acid CAS#6153-56-6 Glycolic Acid CAS#79-14-1
Pennsylvania:	Glycol Ether PNB CAS-No 5131-66-8 Oxalic Acid CAS#6153-56-6 Glycolic Acid CAS#79-14-1
Massachusetts:	Glycol Ether PNB CAS-No 5131-66-8 Oxalic Acid CAS#6153-56-6 Glycolic Acid CAS#79-14-1
Minnesota:	Glycol Ether PNB CAS-No 5131-66-8



## Conforms to OSHA HazCom 2012 Standard and WHMIS

## **SAFETY DATA SHEET**


	Oxalic Acid CAS#6153-56-6 Glycolic Acid CAS#79-14-1
Florida:	Not Available
Michigan:	Not Available


## 15.4. GLOBAL INVENTORIES

Chemical Name	USA TSCA	Canada DSL/NDSL
Glycol Ether PNB	Yes	DSL
Oxalic Acid	Yes	DSL
Glycolic Acid	Yes	DSL




#### 15.5. NFPA AND HMIS RATINGS:





Hazard Index	
4	Severe Hazard
3	Serious Hazard
2	Moderate Hazard
1	Slight Hazard





#### 15.6. SOURCE AGENCY CARCINOGEN CLASSIFICATIONS:

CP65	California Proposition 65	
OSHA (O)	Occupational Safety and Health Administration	
ACGIH (G)	American Conference of Governmental Industrial Hygienists	
	A1 – Confirmed human carcinogen	
	A2 – Suspected human carcinogen	
	A3 – Animal carcinogen	
	<ul> <li>A4 – Not classifiable as a human carcinogen</li> </ul>	
	A5 – Not suspected a human carcinogen	
IARC (I)	International Agency for Research on Cancer	
	<ul> <li>1 – The agent (mixture) is carcinogenic to humans</li> </ul>	
	2A – The agent (mixture) is probably carcinogenic to humans; there	
	is limited evidence of carcinogenicity in humans and sufficient	
	evidence of carcinogenicity in experimental animals.	
	2B – The agent (mixture) is possibly carcinogenic to humans; there	
	is limited evidence of carcinogenicity in humans in the absence of	
	sufficient evidence of carcinogenicity in experimental animals.	
	3 – The agent (mixture, exposure circumstance) is not classifiable	
	as to its carcinogenicity to humans.	
	<ul> <li>4 – The agent (mixture, exposure circumstance) is probably not</li> </ul>	
	carcinogenic to humans.	
NTP (N)	National Toxicology Program	
	1 – Known to be carcinogens	
	<ul> <li>2 – Reasonably anticipated to be carcinogens</li> </ul>	

## **Section 16: OTHER INFORMATION**

Date of Preparation: June 1, 2015

Version: 3.0

Revision Date: N/A

**Disclaimer:** The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, express or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to silica contained in our products.

Prepared by: Custom Building Products

Phone: (562)-968-2980

www.custombuildingproducts.com

## **End of Safety Data Sheet**